

THE CLAIMS

A detailed listing of all of originally filed Claims 1-37 is provided below. Claims 11, 12, 18, 24 and 25 are currently amended. A status identifier is provided for each claim in a parenthetical expression following each claim number.

1. (Original) A method comprising:
collecting entropy data;
storing the entropy data in a nonvolatile memory;
updating the entropy data stored in the nonvolatile memory with newly collected entropy data; and
generating a string of random bits from the entropy data stored in the nonvolatile memory.
2. (Original) A method as recited in claim 1 wherein the entropy data is collected from multiple sources.
3. (Original) A method as recited in claim 1 wherein the entropy data is collected from multiple sources within a computer system.
4. (Original) A method as recited in claim 1 wherein the entropy data includes data related to a processor in a computer system.

5. (Original) A method as recited in claim 1 wherein the entropy data includes data related to an operating system executing on a computer system.

6. (Original) A method as recited in claim 1 wherein the entropy data is maintained in a protected portion of an operating system kernel.

7. (Original) A method as recited in claim 1 wherein the method is executing on a system and the entropy data is inaccessible by an application program executing on the system.

8. (Original) A method as recited in claim 1 wherein generating a string of random bits includes hashing the entropy data to generate random seed data.

9. (Original) A method as recited in claim 1 wherein updating the entropy data stored in the nonvolatile memory includes collecting new entropy data at periodic intervals.

10. (Original) A method as recited in claim 1 further including communicating the string of random bits to an application program requesting a random number.

11. (Currently Amended) One or more computer-readable memories containing a computer program that is executable by a ~~processor to perform the method recited in claim 1~~ one or more processors, the computer program causing the one or more processors to:

collect entropy data;

store the entropy data in a nonvolatile memory;

update the entropy data stored in the nonvolatile memory with newly collected entropy data; and

generate a string of random bits from the entropy data stored in the nonvolatile memory.

12. (Currently Amended) A method comprising:
receiving a request for a random number;
retrieving, ~~entropy data~~ from a nonvolatile memory device, ~~wherein the~~
entropy data that is regularly updated with newly collected entropy data;
hashing the entropy data to create random seed data;
generating a string of random bits from the random seed data; and
communicating the string of random bits to the requester of the random number.

13. (Original) A method as recited in claim 12 wherein the entropy data is collected from multiple sources within a computer system.

14. (Original) A method as recited in claim 12 wherein the entropy data includes data related to a state of a processor in a computer system and data related to a state of an operating system executing on the computer system.

15. (Original) A method as recited in claim 12 wherein the entropy data is maintained in a protected portion of an operating system kernel.

16. (Original) A method as recited in claim 12 wherein the random seed data is maintained in a protected portion of an operating system kernel.

17. (Original) A method as recited in claim 12 wherein the entropy data is inaccessible by the requester of the random number.

18. (Currently Amended) One or more computer-readable memories containing a computer program that is executable by ~~a processor to perform the method recited in claim 12~~ one or more processors, the computer program causing the one or more processors to:

receive a request for a random number;

retrieve entropy data from a nonvolatile memory device;

hash the entropy data to create random seed data;

generate a string of random bits from the random seed data; and

communicate the string of random bits to the requester of the random number.

19 (Original) A method comprising:
collecting entropy data;
storing the entropy data in a protected portion of an operating system
kernel; and
generating a string of random bits based on the entropy data.

20. (Original) A method as recited in claim 19 wherein the entropy
data is collected from multiple sources.

21. (Original) A method as recited in claim 19 wherein the entropy
data is inaccessible by an application program.

22. (Original) A method as recited in claim 19 further comprising
updating the entropy data with newly collected entropy data.

23. (Original) A method as recited in claim 19 further comprising
communicating the string of random bits to an application program requesting a
random number.

24. (Currently Amended) One or more computer-readable
memories containing a computer program that is executable by ~~a processor to~~
~~perform the method recited in claim 19~~ one or more processors, the computer
program causing the one or more processors to:

collecting entropy data;

storing the entropy data in a protected portion of an operating system kernel; and
generating a string of random bits based on the entropy data.

25. (Currently Amended) An apparatus comprising:
a nonvolatile memory configured to store entropy data, wherein the entropy data stored in the nonvolatile memory is updated regularly; and
a random number generator, coupled to the nonvolatile memory, ~~wherein the random number generator utilizes the entropy data stored in the nonvolatile memory~~ to generate strings of random bits using the entropy data received from the nonvolatile memory.

26. (Original) An apparatus as recited in claim 25 wherein the entropy data is collected from multiple sources.

27. (Original) An apparatus as recited in claim 25 wherein the entropy data is updated at periodic intervals.

28. (Original) An apparatus as recited in claim 25 wherein the entropy data is maintained in a protected portion of an operating system kernel such that the entropy data is inaccessible by an application program.

29. (Original) An apparatus as recited in claim 25 wherein the entropy data includes data related to a processor in a computer system and an operating system executing on the computer system.

30. (Original) An apparatus as recited in claim 25 wherein the random number generator hashes the entropy data to generate random seed data.

31. (Original) An apparatus as recited in claim 25 further including a timer coupled to the random number generator, the timer indicating when to update the entropy data stored in the nonvolatile memory device.

32. (Original) One or more computer-readable media having stored thereon a computer program that, when executed by one or more processors, causes the one or more processors to:

collect entropy data from multiple sources;

store the collected entropy data in a nonvolatile memory;

update the entropy data stored in the nonvolatile memory with newly collected entropy data; and

produce a string of random bits from the entropy data stored in the nonvolatile memory.

33. (Original) One or more computer-readable media as recited in claim 32 wherein the entropy data includes data related to a state of one or more processors.

34. (Original) One or more computer-readable media as recited in claim 32 wherein the entropy data is maintained in a protected portion of an operating system kernel.

35. (Original) One or more computer-readable media as recited in claim 32 wherein the entropy data includes data related to a state of an operating system executing on a computer system.

36. (Original) One or more computer-readable media as recited in claim 32 wherein to produce a string of random bits from the entropy data, the one or more processors hash the entropy data to generate random seed data.

37. (Original) One or more computer-readable media as recited in claim 32 wherein the entropy data stored in the nonvolatile memory is updated with newly collected entropy data at periodic intervals.

consideration of pending Claims 1-5 is respectfully requested.

THE REJECTION UNDER 35 U.S.C. §112, SECOND PARAGRAPH

Claims 11-18 and 24-31 were rejected under 35 U.S.C. §112, second paragraph, for indefiniteness.

Although the rejection mistakenly characterizes Beauregard Claims 11, 18, and 24 as apparatus claims, the Applicant has amended the aforementioned claims as suggested by the Examiner. Specifically, Beauregard Claims 11, 18, and 24 have been rewritten in independent form, and include the features of the claims from which they originally depended.

Further, Claims 12 and 25 have been amended in response to the listed objection.

Favorable consideration of the amendments to Claims 11, 12, 18, 24 and 25, and withdrawal of the rejection under 35 U.S.C. §112, second paragraph, are respectfully requested.

THE REJECTION UNDER 35 U.S.C. §102(e)

Claims 1-37 were rejected under 35 U.S.C. §102(e) as being anticipated by DeBellis et al. (U.S. Patent 6,044,388; hereafter "DeBellis"). The Applicant

California, 814 F.2d 628, 631, 2 USPQ2d 1051, 1053 (Fed. Cir. 1987). The Applicant respectfully submits that clearly, as seen from the above, DeBellis does not fulfill such obligation. Features of Claim 1 are missing from the teachings of the reference, and therefore Claim 1 is not anticipated by DeBellis.

Furthermore, it is respectfully submitted that the remainder of independent Claims 11, 12, 18, 19, 24, 25, and 32 are distinguishable from DeBellis for at least the reasons set forth above with regards to Claim 1. In addition:

- Claim 11 has been rewritten in independent form as a Beauregard claim that includes substantially the same features recited in Claim 1, and therefore is distinguishable from DeBellis for the reasons provided above regarding Claim 1;
- The rejection does not specifically address Claim 12, which recites:
 - A method comprising:
 - receiving a request for a random number;
 - retrieving, from a nonvolatile memory device entropy data that is regularly updated with newly collected entropy data;
 - hashing the entropy data to create random seed data;
 - generating a string of random bits from the random seed data; and
 - communicating the string of random bits to the requester of the random number.

Further to the reasons provided above distinguishing Claim 1 from DeBellis, insofar as they are applicable to Claim 12, the reference does not teach the "hashing," "generating," and "communicating" as presently claimed, nor does the rejection make such assertion.

- Claim 18 has been rewritten in independent form as a Beauregard claim that includes substantially the same features recited in Claim 12, and therefore is distinguishable from DeBellis for the reasons provided above regarding Claim 12;
- With regards to Claim 19, DeBellis does not teach or suggest "storing the entropy data in a protected portion of an operating system kernel." Further, that claimed feature is not addressed by the rejection; and
- Claim 24 has been rewritten in independent form as a Beauregard claim that includes substantially the same features recited in Claim 19, and therefore is distinguishable from DeBellis for the reasons provided above regarding Claim 19.

Sep. 12 03 02:53p

D. Lee

425-788-2483

p. 15

Received from <425 788 2483> at 9/12/03 5:56:34 PM [Eastern Daylight Time]

inis Page Blank (uspto)

Sep 12 03 02:53p

D. Lee

425-788-2483

p. 16

Received from <425 788 2483> at 9/12/03 5:56:34 PM [Eastern Daylight Time]

This Page Blank (uspto)

Sep 12 03 02:53p

D. Lee

425-788-2483

p. 17

Received from <425 788 2483> at 9/12/03 5:56:34 PM [Eastern Daylight Time]

This Page Blank (uspto)